AMENDMENTS TO THE CLAIMS

Claim 28. (Cancelled)

Claim 29. (Cancelled)

Claim 30. (Cancelled)

Claim 31. (Cancelled)

Claim 32. (Cancelled)

Claim 33. (Cancelled)

Claim 34. (Cancelled)

Claim 35. (Cancelled)

- 36. (Currently Amended) An apparatus for electrical detection of molecular interactions between an immobilized oligonucleotide probe and a target nucleic acid molecule, said apparatus comprising a supporting substrate comprising:
- a) <u>a supporting substrate comprising</u> a plurality of microelectrodes each comprising a conjugated polymer and <u>ana different immobilized</u> oligonucleotide probe <u>attached to said</u> <u>conjugated polymer</u>;
 - b) a voltage source connected to said microelectrodes;
- c) an electrolyte solution comprising a solution of Li+ ions, wherein said solution is in contact with said microelectrodes; and
 - d) a detector connected to said microelectrodes.

Claim 37. (Cancelled)

38. (Currently Amended) <u>TheAn</u> apparatus according to claim 36, wherein said apparatus further <u>comprisingeomprises</u> a counter-electrode.

Serial No. 09/458,533 **Filed:** December 9, 1999

- 39. (Currently Amended) <u>TheAn</u> apparatus according to claim 36, wherein said apparatus further <u>comprisingeomprises</u> a reference electrode.
- 40. (Currently Amended) <u>TheAn</u> apparatus according to claim 36, wherein said detector will detect changes in is an impedance detector at each microelectrode.
- 41. (Currently Amended) <u>TheAn</u> apparatus according to claim 36, wherein said solution of Li+ions comprises a solution of LiClO₄.
- 42. (Currently Amended) <u>TheAn</u> apparatus according to claim 41, wherein <u>the</u> concentration of said solution of LiClO₄ is about 0.1 M.
- 43. (Currently Amended) <u>The An</u> apparatus according to Claims 36, wherein <u>saidthe</u> microelectrodes comprise a conductive material and an insulating material.
- 44. (Currently Amended) <u>TheAn</u> apparatus according to Claim 43, wherein <u>saidthe</u> conductive material is solid or porous gold, silver, platinum, titanium, copper, metal oxide, metal nitride, metal carbide, or graphite carbon.
- 45. (Currently Amended) <u>TheAn</u> apparatus according to Claim 44, wherein <u>saidthe</u> conductive material is platinum.
- 46. (Currently Amended) <u>TheAn</u> apparatus according to Claim 44, wherein <u>saidthe</u> conductive material is gold.
- 47. (Currently Amended) <u>TheAn</u> apparatus according to Claim 43, wherein <u>saidthe</u> insulating material is glass, silicon, plastic, rubber, fabric, ceramic or a combination thereof.

Serial No. 09/458,533

Filed: December 9, 1999

48. (Currently Amended) TheAn apparatus according to Claim 47, wherein saidthe

insulating material is silicon.

49. (Currently Amended) TheAn apparatus according to Claim 47, wherein saidthe

insulating material is glass.

50. (Currently Amended) TheAn apparatus according to Claim 43, wherein saidthe

conductive material is embedded in saidthe substrate and saidthe substrate comprises saidthe

insulating material.

51. (Currently Amended) TheAn apparatus according to Claim 43, wherein saidthe

conductive material is silver/silver chloride.

52. (Currently Amended) TheAn apparatus of Claims 36, wherein saidthe supporting

substrate comprises ceramic, glass, silicon, fabric or plastic.

53. (Currently Amended) The An apparatus of Claim 36, wherein said conjugated polymer

is selected from the group consisting of polypyrrole, polythiphene, polyaniline, polyfuran,

polypyridine, polycarbazole, polyphenylene, poly(phenylenvinylene), polyfluorene,

polyindole, their derivatives, their copolymers and their combinations thereof.

54. (Currently Amended) The An apparatus of Claims 36, wherein said probes are

immobilized by attached to microelectrodes using a neutral pyrrole matrix.

55. (Cancelled)

- 4 -